


CAMIRA URBAN



Application

Task seating

Composition

100% Recycled Flame Retardant Polyester

Non metallic dyestuffs

Environmental

EU Ecolabel, Oeko-Tex Standard 100

Made from 100% recycled polyester

Width

140cm minimum

Weight

340 g/m² ±5% (480 g/lin.m ±5%)

Flame resistance

EN 1021 - 1 (cigarette)

EN 1021 - 2 (match)

BS 7176 Low Hazard

BS 5852 Ignition Source 5

BS 7176 Medium Hazard

DIN 4102 B1

UNI 9175 Classe 1 IM

Abrasion resistance

100,000 Martindale cycles

Fastness to Rubbing

Wet: 4, Dry: 4 (ISO 105 - X12)

Cleaning

Washable to 60 °C. Vacuum regularly.

Wipe clean with a damp cloth or shampoo using proprietary upholstery shampoo.



YN108



YN212



YN082



YN158



YN148



YN027



YN076



YN079



YN203



YN211



YN201



YN086



YN204



YN205



YN210



YN082



YN202



YN209



YN208



YN097



YN094



YN206



YN207



YN083



YN145



YN009



YN190



YN160




YN159



YN200

CAMIRA XTREME



Application

Task seating

Composition

100% Recycled Flame Retardant Polyester

Non metallic dyestuffs

Environmental

EU Ecolabel, Oeko-Tex Standard 100

Made from 100% recycled polyester

Width

140 cm minimum

Weight

310 g/m² ±5% (435 g/lin.m ±5%)

Flame resistance

EN 1021 - 1 (cigarette)

EN 1021 - 2 (match)

BS 7176 Low Hazard

BS 5852 Ignition Source 5

BS 7176 Medium Hazard

DIN 4102 B1

NF D 60-013

ÖNORM B 3825 & A 3800-1
(over 58 kg/m³ CMHR foam)

UNI 9175 Classe 1 IM

BS 476 Part 7 Class 1

Abrasion resistance

100,000 Martindale cycles


Fastness to Rubbing

Wet: 4, Dry: 4 (ISO 105 - X12)


Cleaning

Washable to 60 °C. Vacuum regularly.

Wipe clean with a damp cloth or shampoo
using proprietary upholstery shampoo.



GABRIEL MEDLEY



Application

Contract and soft seating

Composition

100% polyester

Environmental

Oeko-Tex, 100% free of heavy metals

Width

140cm

Weight

510 g/lm

16.45 oz/lin.yd

Flame resistance

BS EN 1021 1&2 Cigarette and Match

BS EN 1021-1 Cigarette

BS 5852 Part 1 0,1 Cigarette & match

BS 476 Part 7, class 2

Class Uno UNI 9175 Class 1 | EMME

Class Uno UNI 9174 - UNI 8457

ÖNORM B 3825-B2-3800-Q1 UK

CA TB 117-2013

ASTM E 84

Abrasion resistance

75,000 Martindale cycles

Fastness to Rubbing

4-5/4-5 scale 1-5, max. 5 -

EN ISO 105x12 (wet/dry)

Cleaning

Wash and dry cleaning P(W).



60999



61004



60004



60167



61002



60003



61003



67002



62054



62002



68005



68002



68114



68115



67054



67053



67006



67052



66144



66009



66008



66010



66007



66145



65086



65012



65011



64125



64124



63064



61189



63063



63017



63016



64123




64019



63013

GABRIEL GO CHECK



Application

Contract

Composition

100% Trevira cs

Environmental

Oeko-Tex, EU Ecolabel
Cradle to Cradle Bronze,
100% free of heavy metals

Width

140cm

Weight

435 g/lm

14.03 oz/lin.yd

Flame resistance

BS EN 1021 1&2 Cigarette and Match

BS EN 1021-1 Cigarette

BS 5852 Part 1 0,1 Cigarette & match

BS 5852 Crib 5

BS 7176 Medium hazard

DIN 4102 B1

NFP 92-503/504/505 M1

ÖNORM B 3825-B1-3800-Q1 UK

Class Uno UNI 9175 Class 1 I EMME

FAR/JAR 25.853 (a) (i) (ii)

CA TB 117-2013

DIN EN 13501-1 B-s1,d0

Abrasion resistance

80,000 Martindale cycles

Fastness to Rubbing

-5/4-5 scale 1-5, max. 5 -


EN ISO 105x12 (wet/dry)

Cleaning

Wash or dry cleaning P(W).



KVADRAT UMAMI

**Application**

Upholstery

Composition

90% wool and 10% nylon

Width

140cm

Weight

app. 420 g/lin.m

Flame resistance

EN 1021-1/2

BS 5852 part 1

NF D 60 013

UNI 9175 1IM

US Cal. Bull. 117-2013

IMO A.652 (16)

Abrasion resistance

80,000 Martindale cycles

Cleaning

Vacuuming and dry cleaning.



0231



0621



0251



0471



0871



0181



0191



0851



0721



0111



0761



0651



0731



0711



0221



0611



0551




0441



0661

GABRIEL INTERGLOBE WOOL 2



Application

Contract

Composition

100% wools of New Zealand

Environmental

Oeko-Tex, EU Ecolabel

100% free of heavy metals

Width

140cm

Weight

620 g/lm

20.00 oz/lin.yd

Flame resistance

BS 7176 Medium hazard

BS 5852 Crib 5

IMO MSC 307(88) Annex 1 part 8

MED Certificate IMO

BS EN 1021 1&2 Cigarette and Match

BS 5852 Part 1 0,1 Cigarette & match

CA TB 117-2013

Abrasion resistance

50,000 Martindale cycles

Fastness to Rubbing

4/4 Scale 1-5, max. 5 -

EN ISO 105x12 (wet/dry)

Cleaning

Dry cleaning P(S).



CAMIRA MAINLINE FLAX



Application

Task seating, soft seating
and curtain

Composition

70% Virgin Wool and 30% Flax

Environmental

Certified to the EU Ecolabel
Rapidly renewable and compostable
Made from wool and bast fibre

Width

140cm

Weight

435 g/m² ±5% (610 g/lin.m ±5%)

Flame resistance

EN 1021 - 1 (cigarette)

EN 1021 - 2 (match)

BS 7176 Low Hazard

BS 5852 Ignition Source 5

BS 7176 Medium Hazard

NF D 60-013

ÖNORM B 3825 & A 3800-1

(58kg/m³ CMHR Foam)

UNI 9175 Classe 1 IM

BS 5867-2: Type B Curtains & Drapes

Abrasion resistance


50,000 Martindale cycles

Fastness to Rubbing

Wet: 3, Dry: 4 (ISO 105 - X12)

Cleaning


Vacuum regularly. Professionally dry clean
or wipe clean with a damp cloth.




MLF10




MLF09



MLF24



MLF21



MLF22



MLF25



MLF37




MLF34




MLF35



MLF38



MLF05



MLF19



MLF36



MLF28



MLF32



MLF29



MLF18



MLF30



MLF07




MLF20



MLF12



MLF15



MLF15



MLF17



MLF13



MLF08



MLF03



MLF01




MLF06



MLF14



MLF41




MLF11




MLF04



MLF33




MLF27



MLF40



MLF39



MLF23



MLF02




MLF26



MLF16

KVADRAT REVIVE 1



Application

Upholstery

Composition

100% recycled polyester FR

Environmental

Recycled resource from PET bottles

Width

App. 140 cm

Weight

App. 430/lin.m

Flame resistance

EN 1021-1/2

DIN 4102 B1

Önorm B1/Q1

UNI 9175 1IM

US Cal. Tech. Bull. 117

IMO A.652 (16)

Abrasion resistance


60,000 Martindale cycles

Cleaning

Vacuuming and dry cleaning.



KVADRAT REVIVE 2



Application

Upholstery

Composition

100% recycled polyester FR

Environmental

Recycled resource from PET bottles

Width

App. 140 cm

Weight

App. 420/lin.m

Flame resistance

EN 1021-1/2

DIN 4102 B1

Önorm B1/Q1

UNI 9175 1IM

US Cal. Tech. Bull. 117

IMO A.652 (16)

Abrasion resistance

60,000 Martindale cycles

Cleaning

Vacuuming and dry cleaning.



0133



0323



0163



0153



0173



0973



0373



0183



0193



0166



0663



0633



0523



0433



0453



0223



0923



0833



0753



0773



0933



0933

GABRIEL STEP MELANGE



Application

Contract

Composition

100% Trevira cs

Environmental

Oeko-Tex, EU Ecolabel

100% free of heavy metals

Width

140cm

Weight

470 g/lm

15.16 oz/lin.yd

Flame resistance

IMO MSC 307(88) Annex 1 part 8

MED Certificate IMO

DIN 4102 B1

NFP 92-503/504/505 M1

BS EN 1021 1&2 Cigarette and Match

BS 5852 Part 1 0,1 Cigarette & match

BS 5852 Crib 5

ÖNORM B 3825-B1-3800-Q1 UK

FAR/JAR 25.853 (a) (i) (ii)

BS 7176 Medium hazard

AM 18 - NF D 60-013-(only for fabric)

CA TB 117-2013

Class Uno UNI 9175 Class 1 I EMME

DIN EN 13501-1 B-s1,d0

Abrasion resistance

100,000 Martindale cycles


Fastness to Rubbing

4-5/4-5 scale 1-5, max. 5 -

EN ISO 105x12 (wet/dry)

Cleaning

Wash or dry cleaning P(W).



KVADRAT REMIX 2



Application

Upholstery

Composition

90% New wool and 10% Nylon

Environmental

EU Ecolabel

Width

138cm

Weight

415 g/lin.m

Flame resistance

EN 1021-1/2

BS 5852 part 1

Önorm B1/Q1

NF D 60 013

UNI 9175 11M

AS/NZS 1530.3

US Cal. Bull. 117-2013

NFPA 260

IMO FTP Code 2010: Part 8

Abrasion resistance


100,000 Martindale cycles

Cleaning

Vacuuming and dry cleaning.



KVADRAT HERO



Application

Upholstery

Composition

96% new wool and 4% nylon

Environmental

EU Ecolabel

Width

App. 140cm

Weight

App. 580/lin.m

Flame resistance

AS/NZS 3837 class 2

BS 5852 Crib 5 with treatment

BS 5852 part 1

DIN 4102 B2

EN 1021-1/2

IMO FTP Code 2010: Part 8

NF D 60 013

NFPA 260

SN 198 898 5.3 with treatment

UNI 9175 1IM

US Cal. Bull. 117-2013


Abrasion resistance

45,000 Martindale cycles

Cleaning

Vacuuming and dry cleaning.

Avoid using steam.



CAMIRA SYNERGY



Application

Task seating, soft seating
and curtain

Composition

95% Virgin Wool and 5% Polyamide

Environmental

EU Ecolabel

Width

140 cm minimum

Weight

400 g/m² ±5% (560 g/lin.m ±5%)

Flame resistance

EN 1021 - 1 (cigarette)

EN 1021 - 2 (match)

BS 7176 Low Hazard

NF D 60-013

ÖNORM B 3825 & A 3800-1

(58 kg/m³ CMHR Foam)

UNI 9175 Classe 1 IM

EN 13501 Adhered Class D, s1, d0

EN 13501 Un-adhered Class E, s2, d0

Abrasion resistance


100,000 Martindale cycles

Fastness to Rubbing

Wet: 4, Dry: 4 (ISO 105 - X12)

Cleaning

Vacuum regularly. Professionally dry clean
or wipe clean with a damp cloth.



CAMIRA BLAZER



Application

Task seating, soft seating
and curtain

Composition

100% Virgin Wool
Non metallic dyestuffs

Environmental

Rapidly renewable and compostable

Width

140 cm minimum

Weight

460 g/m² ±5% (645 g/lin.m ±5%)

Flame resistance

EN 1021 - 1 (cigarette)

EN 1021 - 2 (match)

BS 7176 Low Hazard

NF D 60-013

ÖNORM B 3825 & A 3800-1

(58kg/m³ CMHR Foam)

UNI 9175 Classe 1 IM

BS 476 Part 7 Class 1

EN 13501-1 Adhered Class D, s1, d0

Abrasion resistance

50,000 Martindale cycles

Fastness to Rubbing


Wet: 4, Dry: 4 (ISO 105 - X12)

Cleaning

Vacuum regularly. Professionally dry clean
or wipe clean with a damp cloth.



SERGE FERRARI STAMSKIN TOP



Application

Task seating

Composition

Underlayer Polyamid- jersey

Environmental

Recyclable

Width

140cm

Weight

780 g/m²

Flame resistance

EN 1021 - 1 (cigarette)

EN 1021 - 2 (match)

SN 198898 – VKF/AEAI

BS 5852 crib 5

DIN 4102 B1

UNI 9175 Classe 1 IM

Abrasion resistance

120,000 Martindale cycles

Cleaning

Visit the Sergio Ferrari website
for a detailed explanation.



00002



5029



07432



07445



07478



07479



10120



10295



20129



20161



20237



20241



20253



20278



20279



20280



20281



20282



20283



20284



20285



20286



20287



20288



20289



20290



20291



20293



20294



20295



20296



20299



20300

VYVA FABRICS SYLVERGUARD



Application

Upholstery

Composition

Vinyl/Urethane Topcoat met Hi-Loft² backing

Width

137cm

Weight

685 g/m²

Flame resistance

EN 1021-1/2

IMO FTP Code 2010 MSC.307: Part 8

BS5852 part 1

UNI 23.727-90 1R/M2

NF P 92-503/M2

DIN 4102 B2

UNI 9175/UNI 9175/Fa1 1IM

ÖNORM B 3825,

Gruppe 1-Schwerbrennbares Verhalten

ÖNORM A 3800 Teil 1,

Qualmbildungsklasse Q1

FMVSS 302/FAR 25.853

Abrasion resistance

30,000 Martindale cycles

Cleaning

Damp cloth with soap water,

do not use abrasive cleaner.



KVADRAT DIVINA 3



Application

Upholstery

Composition

100% new wool

Environmental

EU Ecolabel

Width

150cm

Weight

Approx. 840 g/lin.m

Flame resistance

AS/NZS 1530.3

BS 5852 Crib 5

BS 5852 part 1

DIN 4102 B2

EN 1021-1/2

IMO FTP Code 2010:Part 8 NF D 60 013


Abrasion resistance

45,000 Martindale cycles

Cleaning

Vacuuming and dry cleaning.

Avoid using steam.



KVADRAT DIVINA MELANGE 3



Application

Upholstery

Composition

100% new wool

Environmental

EU Ecolabel

Width

150cm

Weight

Approx. 820 g/lin.m

Flame resistance

AS/NZS 1530.3

BS 5852 Crib 5

BS 5852 part 1

DIN 4102 B2

EN 1021-1/2

IMO FTP Code 2010:Part 8

NF D 60 013

NFPA 260

Önorm B1/Q1

SN 198 898 5.3 with treatment

UNI 9175 1IM

US Cal. Tech. Bull. 117 AS.NZS 1530.3

Abrasion resistance


45,000 Martindale cycles

Cleaning

Vacuuming and dry cleaning.



KVADRAT HALLINGDAL 65



Application

Upholstery

Composition

70% new wool and 30% viscose

Environmental

EU Ecolabel

Width

130cm

Weight

Approx. 795 g/lin.m

Flame resistance

EN 1021-1/2

BS 5852 Crib 5

BS5852 part 1

DIN 4102 B2

Önorm B1/Q1

NF D 60 013

NFPA 260

SN 198 898 5.3 with treatment

UNI 9175 11M

US Cal. Bull. 117 – 2013


IMO FTP Code 2010: Part 8

Abrasion resistance

100,000 Martindale cycles

Cleaning

Vacuuming and dry cleaning.



KVADRAT STEELCUT 2



Application

Upholstery

Composition

90% wool and 10% nylon

Environmental

EU Ecolabel

Width

150cm

Weight

Approx. 825 g/lin.m

Flame resistance

EN 1021-1/2

BS 5852 part 1

DIN 4102 B2

Önorm B1/Q1

NF D 60 013

UNI 9175 1IM

US Cal. Tech. Bull. 117 NFPA 260

AS/NZS 3837


IMO FTP Code 2010: Part 8

Abrasion resistance


80,000 Martindale cycles

Cleaning

Vacuuming and dry cleaning.



KVADRAT STEELCUT TRIO 3



Application

Upholstery

Composition

90% wool and 10% nylon

Environmental

EU Ecolabel

Width

140cm

Weight

Approx. 770 g/lin.m

Flame resistance

EN 1021-1/2

BS 5852 part 1

DIN 4102 B2

Önorm B1/Q1

NF D 60 013

UNI 9175 11M

US Cal. Bull. 117, – 2013

NFPA 260

AS/NZS 3837


IMO FTP Code 2010: Part 8

Abrasion resistance


100,000 Martindale cycles

Cleaning

Vacuuming and dry cleaning.



GABRIEL EUROPOST 2



Application

Contract

Composition

100% wools of New Zealand

Environmental

Oeko-Tex, EU Ecolabel

100% free of heavy metals

Width

140cm

Weight

800 g/lm

25.80 oz/lin.yd

Flame resistance

BS 5852 Part 1 0,1 Cigarette & match

ÖNORM B 3825-B2-3800-Q1 UK

Class Uno UNI 9175 Class 1 I EMME

BS EN 1021 1&2 Cigarette and Match

IMO MSC 307(88) Annex 1 part 8

MED Certificate IMO

ASTM E 84

NFPA 286 Room corner fire test

CA TB 117-2013

DIN 4102 B2

BS 476 Part 7 Class 1

Abrasion resistance

50,000 Martindale cycles

Fastness to Rubbing

4-5/4-5 scale 1-5, max. 5 -

EN ISO 105x12 (wet/dry)

Cleaning

Dry cleaning P(S).

