

# Lottus Tables

enea

# Lottus Tables



Lottus Tables are designed to be unobtrusive and complement the Lottus family of chairs. In varying heights and with different base and table top options, the crisp aesthetic of the range hides engineered durability and functionality.

Las mesas Lottus han sido diseñadas para ser discretas y complementar la familia de sillas Lottus. En diferentes alturas y distintas opciones de base y encimeras, la estética nítida de la colección responde a su resistencia y funcionalidad.





Lottus AL table (ref. 4947),  
lacquered structure in RAL  
9016 and white HPL top.  
Lottus High (ref. 6200).

On the left: Lottus chair (ref.  
4801) in RAL 7032, used with  
Lottus table (ref. 4941) with  
RAL 7032 structure and White  
HPL top.





Lottus table (ref. 4912)  
lacquered in RAL 7004  
and black HPL top.




Lottus AL table (ref. 4947),  
lacquered en RAL 9016  
and white Fenix top.

Lottus tables come in four height options: occasional, standard, café, bar. The post base has a choice of 12 paint colours, while the different sized and shaped tops are available in solid phenolic resin with veneer or laminate surface.

Las mesas Lottus están disponibles en cuatro alturas diferentes: ocasional, estándar, café y bar. La base se ofrece en doce colores distintos, mientras que los tableros pueden ser de resina fenólica sólida con superficie de chapa o laminada de diferentes tamaños y formas.

## Tables



ROUNDED CORNER TOP  
H 370  
Ø 600/700/800/900



ROUNDED CORNER TOP  
H 720  
Ø 600/700/800/900



ROUNDED CORNER TOP  
H 1100  
Ø 600/800



CIRCULAR TOP  
H 370  
Ø 600/700/800/900



CIRCULAR TOP  
H 720  
Ø 600/700/800/900



CIRCULAR TOP  
H 1100  
Ø 600/800

## Structure

### Lottus Table

- Column: 60x1.5mm tube in cold laminated steel
- Base: Lacquered steel disc joined to column with semiautomatic arc robot welding with gas controlled steel strip

### Mesa Lottus

- Tubo de la columna de 60x1,5mm., de acero laminado en frío
- Base: Disco de acero lacado con unión a la columna con soldadura Semiautomática en robot de arco con aporte de hilo de acero controlado

### Lottus AL Table

- Column: 40x3mm tube in cold laminated steel
- Base with 4 polished aluminium or lacquered supports, with non-slip tips joined to the tube via mechanical joints

### Mesa Lottus AL

- Columna: Tubo de 40x3mm., de acero laminado en frío
- Base de 4 apoyos de aluminio pulido o lacado con topes antideslizantes unido al tubo mediante uniones mecánicas

Ola Auzoa, 4  
20250 Legorreta  
Gipuzkoa, Spain  
+34 943 806 275  
enea@eneadesign.com  
www.eneadesign.com