

**LX662** Design: Frans Schrofer, 2015



## Technical details

---

### Model

Inner frame	Metal frame foamed
Inner frame seat	Metal frame
Inner frame footstool	Sheet material
Springs seat footstool	Elastic belts
Wadding	PU/HR foam 50/30kg/m <sup>3</sup> , wadding Leoskin HR foam 50kg/m <sup>3</sup> , wadding Leoskin HR foam 40kg/m <sup>3</sup> , wadding Leoskin HR foam 20kg/m <sup>3</sup> , wadding Leoskin Polyether foam 30kg/m <sup>3</sup> , wadding Leoskin

### Upholstery

Upholstery	Fabric or leather
Stitching	Colour-to-colour or one of the standard colours.
Decorative stitch	Flat seam, double stitch and Artisan

**Exception** Upholstery in patterned strains is not possible towards design and seam layout

### Legs

Swivel base armchair	
- 5-legged swivel base	Aluminium polished or all standard epoxy colours (powder coating)
- 4-legged swivel base	Aluminium polished or all standard epoxy colours (powder coating)

**Auto-return mechanism** Optional: Auto-return mechanism (excluded in with combination 5-arms swivel base height +2cm)

Lever and Column	Chrome plated (at aluminium base) Matching lacquer (with epoxy / lacquered foot)
Gliders	Synthetic, black

### Functions

**Tilting mechanism**                      Version LX662-100

**Seat heights**                                +2cm

### Comments

**Deviating stitching**                      When opting for different stitching colours, this option applies to the entire piece of furniture. If the inside and outside are selected with two different deviating stitching colours, this must be explicitly stated on the order. Deviating stitching is not possible on the decorative stitch Artisan, it always is the colour of the stitching for the outside.

**Certifications**                              All sheet materials used in this model comply with the CARB2 requirement or are NAF certified

On request foam materials with additional flame retardants can be applied.

