

AMPO ULE

Una goccia di luce, una forma archetipa e pura che nel suo dinamico slancio racconta l'ineguagliabile poesia del dono di un fiore.

Questo il pensiero ispiratore di un vaso gigante per un unico fiore, un'opera che caratterizza ogni spazio con la sua semplicità, raccontando la magia della sua storia.

Il set comprende anche Ampoule S, per una presenza elegante a centro tavola.

A drop of light, an archetypal and pure form that in its dynamic impetus tells of the unique poem of a flower gift.

This is the inspiring thought of a giant vase for a single flower, a work that characterises every space with its simplicity, telling the magic of its history.

The set also includes Ampoule S, an elegant presence in the middle of the table.






Piantane Ampoule XI
Ampoule XI standing lamps



Table



CE IP20

Material:
Poleasy

Net weight:
0,6 kg

Volume packaging:
0,02 mc

Finishing e colours:
IL: 110 transparent

Cable length:
1,8 mt trasparente cable with plug

Switch:
- ON/OFF switch fitted on the power cord (IP20)

Power Input:
220-240V - 50/60Hz

Power Consumption:
1W

Light source:
G9 Led

Characteristic:
2700K - 55lm

CE IP66

Material:
Poleasy

Net weight:
0,6 kg

Volume packaging:
0,02 mc

Finishing e colours:
IL: 110 transparent

Cable length:
1,5 mt cable rechargeable

Switch:
Remote control

CE IP20

Power Input:
Adaptor: AC: 100-240V 50/60Hz
DC: 5V

Power Consumption:
1,8W

Light source:
RGBW Led

Characteristic:
2700K - 25lm



Recharging method:
Lithium electric induction

Recharging time:
6 h.

Duration time:
8-10 h



Standing lamp



CE IP20

Material:
Poleasy

Net weight:
16 kg

Volume packaging:
0,76 mc

IP20 IP66

Finishing e colours:
IL: 110 transparent

Cable length:
3 mt transparent cable with plug (IP20)
2 mt black cable with plug (IP44)

Switch:
- ON/OFF switch fitted on the power cord (IP20)
- Plug (IP44) or connector box (IP66)

Power Input:
110-240V - 50/60Hz

Power Consumption:
1x 32W E27

Light source:
Bulb

Characteristic:

CE IP66

Material:
Poleasy

Net weight:
16 kg

Volume packaging:
0,76 mc

Finishing:
IL: 110 transparent

Cable length:
1,5 mt cable rechargeable

Switch:
Remote control

CE IP20

Power Input:
Adaptor: AC: 100-240V 50/60Hz
DC: 7.5V

Power Consumption:
3,8W

Light source:
RGBW Led

Characteristic:
2700K - 65lm

Recharging time:
6 h.

Duration time:
8-10 h.