

PANDORA

E' la natura ad ispirare le forme di Pandora, che vivono del riverbero della loro texture minimale.

Entità eteree che grazie alle numerose combinazioni cromatiche e finiture creano un set di sedute e tavolini informali.

It's the nature inspiring the shapes of Pandora, that live in the echoes of their minimal texture.

Ethereal entities that thanks to the numerous chromatic combinations and finishing compose a set of informal chairs and tables.






Pandora S e M lampade da terra, piantane Pandora L, divano Modi Zero
Pandora S and M floor lamps, Pandora L standing lamps, Modi Zero sofa.



Lampade a sospensione Pandora S, M, L
Suspension lamps Pandora S, M, L



Standing lamp



CE IP20 IP44

Material:
Poleasy
White metal structure

Packages:
2

Net weight:
15,5 kg (S)
16 kg (M - L)

Volume packaging:
0,11 + 0,29 mc (S)
0,09 + 0,20 mc (M)
0,12 + 0,21 mc (L)

Finishing e colours:
IL: 110 transparent

Cable length:
3 mt transparent cable with plug (IP20)
2 mt white cable with plug (IP44)

Switch:
- ON/OFF switch fitted on the power cord (IP20)
- Plug (IP44)

Power Input:
110-240V - 50/60Hz



Power Consumption:
1x 32W E27

Light source:
Bulb (diam. max 74mm)

Characteristic:



Standing lamp



CE IP20  IP44 

Material:
Poleasy
White metal structure
Wood legs

Finishing e colours:
IL: 110 transparent

Packages:
2

Net weight:
9 kg (XL)
4 kg (XL w/wood legs)

Volume packaging:
0,14 + 0,06 mc (XL)
0,14 + 0,01 mc (XL-wood)

Cable length:
3 mt transparent cable with plug (IP20)
2 mt white cable with plug (IP44)

Switch:
- ON/OFF switch fitted on the power cord (IP20)
- Plug (IP44)

Power Input:
110-240V - 50/60Hz


Power Consumption:
1x 32W E27

Light source:
Bulb (diam. max 74mm)

Characteristic:



Suspension



CE IP20 IP66



Material:
Poleasy

Finishing e colours:
IL: 110 transparent

Cable length:
2 mt transparent cable + suspension steel wire (IP20)
2 mt black cable

Power Input:
110-240V - 50/60Hz

Packages:
1

Switch:
Connection box (IP66)

Power Consumption:
1x 32W E27

Net weight:
3,5 kg (S)
4 kg (M - L)

Light source:
Bulb

Volume packaging:
0,11 mc (lampshade S)
0,09 mc (lampshade M)
0,12 mc (lampshade L)

Characteristic:



Indoor rose ceiling detail

Outdoor rose ceiling detail





Suspension



CE IP20 IP66



Material:
Poleasy

Finishing e colours:
IL: 110 transparent

Packages:
1

Net weight:
3,5 kg (XL)

Volume packaging:
0,14 mc (lampshade XL)

Cable length:
2 mt transparent cable + suspension steel wire (IP20)
2 mt black cable

Power Input:
110-240V - 50/60Hz

Power Consumption:
1x 32W E27

Switch:
Connection box (IP66)

Light source:
Bulb

Characteristic:

Indoor rose ceiling detail





Outdoor rose ceiling detail





Floor lamp



CE IP20  IP44 

Material:
Poleasy

Packages:
1

Net weight:
3,5 kg (S)
4 kg (M - L)

Volume packaging:
0,11 mc (lampshade S)
0,09 mc (lampshade M)
0,12 mc (lampshade L)

Finishing e colours:
IL: 110 transparent

Cable length:
2 mt transparent cable (IP20)
2 mt black cable with plug (IP44)


Switch:
- ON/OFF switch fitted on the power cord (IP20)
- Plug (IP44)

Power Input:
110-240V - 50/60Hz


Power Consumption:
1x 32W E27

Light source:
Bulb

Characteristic:



Floating



CE IP66

Material:
Poleasy


Packages:
1

Net weight:
3,5 kg (S)

Volume packaging:
0,11 mc

IP44

Finishing e colours:
IL: 110 transparent



Cable length:

1,5 mt cable rechargeable

Switch:

Remote control

CE IP20

Power Input:

Adaptor:
AC: 100-240V 50/60Hz
DC: 5V

Power Consumption:
3,8W

Light source:
RGBW Led

Characteristic:
2700K - 65lm

Recharging method:
Lithium electric induction

Recharging time:
6 h

Duration time:
8-10 h