

**Disassembled**  
Da assemblare

**mc 0,065**  
ft<sup>3</sup> 2.3

**kg 16**  
lb 35.3

Q.ty/pallet

### EN: Barstool with upholstered seat and central steel base

IT: Sgabello con sedile imbottito e base centrale in acciaio

DE: Barhocker mit gepolstertem Sitz und zentralem Stahlfuß

FR: Tabouret avec assise rembourrée et base centrale en acier

ES: Taburete con asiento tapizado y base central de acero

## MATERIALS

Materiali  
Materialien  
Matériaux  
Materiales

### • SEAT - SEDUTA - SITZ - ASSISE - ASIENTO

**EN: Seat padded with expanded, flexible polyurethane (variable density 40-50kg/m<sup>3</sup>), fire-retardant (class 1 IM, Crib 5), inner structure in beech plywood, covered with fabric**

IT: Sedile imbottito con poliuretano espanso flessibile (doppia densità 40-50 kg/m<sup>3</sup>), ignifugo (classe 1 IM, Crib 5), struttura interna in multistrato di faggio, rivestito in tessuto

DE: Sitz gepolstert mit flexiblem Polyurethan (doppelte Dichte 40-50 kg/m), feuerfest (Klasse 1 IM, Crib 5), innere Struktur aus Eschen-Multiplex und mit Stoff bezogen

FR: Assise rembourrée en polyuréthane expansé flexible (double densité 40-50 kg/m<sup>3</sup>), ignifuge (classe 1 IM, Crib 5), structure interne en multiplis de hêtre, recouverts de tissu

ES: Asiento tapizado de espuma de poliuretano flexible (doble densidad 40-50 kg/m<sup>3</sup>), ignifugo (clase 1IM, Crib 5), estructura interna en contrachapado de haya, forrado de tela

### FABRIC - TESSUTO - STOFF - TISSU - TEJIDO

#### CAT. A - C - G - H - P

**EN: For more information see finishing legend on the website**

IT: Per maggiori informazioni vedere legenda finiture sul sito web

### • CROSS - CROCIERA - KREUZ - CROIX - CRUCETA

#### code 4006

**EN: 230x230 mm, cast iron, sandblasted, powder coating**

IT: 230x230 mm, ghisa, sabbiata, verniciata a polvere

DE: 230x230 mm, Gusseisen, Sandgestrahlt, pulverbeschichtet

FR: 230x230 mm, fonte, sablée, époxy à poudre

ES: 230x230mm, Hierro fundido, arenada, barnizada

### • COLUMN - COLONNA - SÄULE - COLONNE - COLUMNNA

**EN: Tube 2xØ50 mm, stainless steel AISI 304**

IT: Tubo 2xØ50 mm, acciaio inox AISI 304

DE: Rohr 2xØ50 mm, Edelstahl AISI 304

FR: Tube 2xØ50 mm, acier inox AISI 304

ES: Tubo 2xØ50 mm, acero inoxidable AISI 304

### • COVER-BASE - COPRIBASE - ABDECKUNG - COUVRE-SOCLE - CUBRE BASE

**EN: Stainless steel AISI 304**

IT: Acciaio inox AISI 304

DE: Edelstahl AISI 304

FR: Acier inox AISI 304

ES: Acero inoxidable AISI 304

### • BASE - BASE - BODENPLATTE - BASE - BASE

**EN: Ø400 mm, cast iron, sandblasted**

IT: Ø400 mm, ghisa, sabbiata

DE: Ø400 mm, Gusseisen, Sandgestrahlt

FR: Ø400 mm, fonte, sablée

ES: Ø400 mm mm, hierro fundido, arenada

• **FOOTREST** - POGGIAPIEDI - FUSSRING - REPOSE-PIEDS - REPOSA PIES

**EN: Ø350 mm, two spokes, stainless steel**

IT: Ø350 mm, due razze, in acciaio inox  
DE: Ø350 mm, zwei Speichen aus Edelstahl  
FR: Ø350 mm, deux rayons, en acier inoxydable  
ES: Ø350 mm, dos radios de acero inoxidable

**FINISH** - FINITURA - AUSFÜHRUNG - FINITION - ACABADO

**EN: Scotch-Brite™ brushed stainless steel**

IT: Acciaio inox satinato Scotch-Brite™  
DE: Edelstahl satiniert Scotch-Brite™  
FR: Acier inoxydable satiné Scotch-Brite™  
ES: Acero inoxidable satinado Scotch-Brite™



• **FEET** - PIEDINI - GLEITER - PATINS - TACOS

**EN: Fixed, 6xØ18 mm, technopolymer, black**

IT: Fissi, 6xØ18 mm, in tecnopolimero, neri  
DE: Standard Gleiter, 6xØ18 mm, Technopolymer, schwarz  
FR: Fixes, 6xØ18 mm, Tecnopolymère, noir  
ES: Tacos, 6xØ18 mm, Tecnopolimero, negro

**ACCESSORIES**

Accessori  
Zubehörteile  
Accessoires  
Accesorios

**code KIT/FELTR O.CURVO.6**

EN: kit n°6 adhesive felts for round bases  
IT: Kit n° 6 feltrini adesivi per basi tonde  
DE: Kit n° 6 Filzgleiter für runden sockel  
FR: Kit n° 6 feutres adhésifs pour bases rondes  
ES: Kit n° 6 topes de fieltro para bases redondas

**REGULATIONS  
AND CERTIFICATES**

Normative e Certificazioni  
Bestimmungen und Zertifikat  
Normatives et certifications  
Normativas y certificados

**• ENVIRONMENTAL IMPACT - IMPATTO AMBIENTALE - UMWELTBELASTUNG - IMPACT SUR L'ENVIRONNEMENT -  
IMPACTO AMBIENTAL**

MATERIAL Materiale	WEIGHT (Kg) Peso (Kg)	% ON TOTAL ITEM % su tot articolo	RECYCLABILITY OF THE MATERIAL Riciclabilita' del materiale	% RICICLED AT ORIGIN % riciclato all'origine	% RECYCLABLE AT END OF PRODUCT LIFE % riciclabile fine vita prodotto
Steel Acciaio	4,661	28,32	YES	33,2	100
Cast iron Ghisa	9,8	59,54	YES	80	100
Zamak Zama	0,399	2,42	YES	50	100
Tecnopolymer Tecnopolimero	0,008	0,05	YES	0	100
Polyurethane foam Poliuretano espanso	0,2	1,22	NO	0	0
Truciolare Truciolare	0,96	5,83	NO	90	0
Plywood Multistrato	0,267	1,62	YES	0	100
Fabric 490 g/m Tessuto 490 g/m	0,17	1,00	NO	0	0
<b>TOTAL TOTALE</b>	<b>16,46 Kg</b>	<b>--</b>	<b>--</b>	<b>63,5 %</b>	<b>92 %</b>


**• COMPANY CERTIFICATIONS - CERTIFICAZIONI AZIENDALI - UNTERNEHMENSZERTIFIZIERUNGEN -  
CERTIFICATIONS D'ENTREPRISE - CERTIFICACIONES DE LA EMPRESA**

**ISO 14001**  
**Enviromental management system**  
Sistema di gestione ambientale



**ISO 9001**  
**Quality management system**  
Sistema di gestione della qualità





**Disassembled**  
Da assemblare

**mc 0,064**  
ft<sup>3</sup>2.26

**kg 13**  
lb 28.7

Q.ty/pallet

#### EN: Barstool with upholstered seat and central steel base

IT: Sgabello con sedile imbottito e base centrale in acciaio

DE: Barhocker mit gepolstertem Sitz und zentralem Stahlfuß

FR: Tabouret avec assise rembourrée et base centrale en acier

ES: Taburete con asiento tapizado y base central de acero

## MATERIALS

Materiali  
Materialien  
Matériaux  
Materiales

### • SEAT - SEDUTA - SITZ - ASSISE - ASIENTO

**EN: Seat padded with expanded, flexible polyurethane (variable density 40-50kg/m), fire-retardant (class 1 IM, Crib 5), inner structure in beech plywood, covered with fabric**

IT: Sedile imbottito con poliuretano espanso flessibile (doppia densità 40-50 kg/m<sup>3</sup>), ignifugo (classe 1 IM, Crib 5), struttura interna in multistrato di faggio, rivestito in tessuto

DE: Sitz gepolstert mit flexiblem Polyurethan (doppelte Dichte 40-50 kg/m), feuerfest (Klasse 1 IM, Crib 5), innere Struktur aus Eschen-Multiplex und mit Stoff bezogen

FR: Assise rembourrée en polyuréthane expansé flexible (double densité 40-50 kg/m<sup>3</sup>), ignifuge (classe 1 IM, Crib 5), structure interne en multiplis de hêtre, recouverts de tissu

ES: Asiento tapizado de espuma de poliuretano flexible (doble densidad 40-50 kg/m<sup>3</sup>), ignifugo (clase 1IM, Crib 5), estructura interna en contrachapado de haya, forrado de tela

### FABRIC - TESSUTO - STOFF - TISSU - TEJIDO

#### CAT. A - C - G - H - P

**EN: For more information see finishing legend on the website**

IT: Per maggiori informazioni vedere legenda finiture sul sito web

### • CROSS - CROCIERA - KREUZ - CROIX - CRUCETA

#### code 4006

**EN: 230x230 mm, cast iron, sandblasted, powder coating**

IT: 230x230 mm, ghisa, sabbiata, verniciata a polvere

DE: 230x230 mm, Gusseisen, Sandgestrahlt, pulverbeschichtet

FR: 230x230 mm, fonte, sablée, époxy à poudre

ES: 230x230mm, Hierro fundido, arenada, barnizada e

### • COLUMN - COLONNA - SÄULE - COLONNE - COLUMNNA

**EN: Tube Ø50 mm, stainless steel AISI 304**

IT: Tubo Ø50 mm, acciaio inox AISI 304

DE: Rohr Ø50 mm, Edelstahl AISI 304

FR: Tube Ø50 mm, acier inox AISI 304

ES: Tubo Ø50 mm, acero inoxidable AISI 304

### • COVER-BASE - COPRIBASE - ABDECKUNG - COUVRE-SOCLE - CUBRE BASE

**EN: Stainless steel AISI 304**

IT: Acciaio inox AISI 304

DE: Edelstahl AISI 304

FR: Acier inox AISI 304

ES: Acero inoxidable AISI 304

### • BASE - BASE - BODENPLATTE - BASE - BASE

**EN: Ø400 mm, cast iron, sandblasted**

IT: Ø400 mm, ghisa, sabbiata

DE: Ø400 mm, Gusseisen, Sandgestrahlt

FR: Ø400 mm, fonte, sablée

ES: Ø400 mm mm, hierro fundido, arenada

**FINISH - FINITURA - AUSFÜHRUNG - FINITION - ACABADO****EN: Scotch-Brite™ brushed stainless steel**

IT: Acciaio inox satinato Scotch-Brite™

DE: Edelstahl satiniert Scotch-Brite™

FR: Acier inoxydable satiné Scotch-Brite™

ES: Acero inoxidable satinado Scotch-Brite™



AC

**EN: Polished stainless steel**

IT: Acciaio inox lucidato

DE: Edelstahl poliert

FR: Acier inoxydable Poli

ES: Acero inoxidable Pulido



LU

- **FEET - PIEDINI - GLEITER - PATINS - TACOS**

**EN: Fixed, 6xØ18 mm, technopolymer, black**

IT: Fissi, 6xØ18 mm, in tecnopolimero, neri

DE: Standard Gleiter, 6xØ18 mm, Technopolymer, schwarz

FR: Fixes, 6xØ18 mm, Technopolymère, noir

ES: Tacos, 6xØ18 mm, Tecnopolimero, negro

**ACCESSORIES**

Accessori  
Zubehörteile  
Accessoires  
Accesorios

**code KIT/FELTRO CURVO.6**

EN: kit n°6 adhesive felts for round bases

IT: Kit n° 6 feltrini adesivi per basi tonde

DE: Kit n° 6 Filzgleiter für runden sockel

FR: Kit n° 6 feutres adhésifs pour bases rondes

ES: Kit n° 6 topes de fieltro para bases redondas

**REGULATIONS  
AND CERTIFICATES**

Normative e Certificazioni  
Bestimmungen und Zertifikat  
Normatives et certifications  
Normativas y certificados

• **ENVIRONMENTAL IMPACT** - IMPATTO AMBIENTALE - UMWELTBELASTUNG - IMPACT SUR L'ENVIRONNEMENT -  
IMPACTO AMBIENTAL

MATERIAL Materiale	WEIGHT (Kg) Peso (Kg)	% ON TOTAL ITEM % su tot articolo	RECYCLABILITY OF THE MATERIAL Riciclabilita' del materiale	% RICICLED AT ORIGIN % riciclato all'origine	% RECYCLABLE AT END OF PRODUCT LIFE % riciclabile fine vita prodotto
<b>Steel</b> Acciaio	1,85	13,93	YES	33,2	100
<b>Cast iron</b> Ghisa	9,8	73,79	YES	80	100
<b>Tecnopolymer</b> Tecnopolimero	0,008	0,06	YES	0	100
<b>Polyurethane foam</b> Poliuretano espanso	0,2	1,51	NO	0	0
<b>Truciolare</b> Truciolare	0,96	7,23	NO	90	0
<b>Plywood</b> Multistrato	0,267	2,01	YES	0	100
<b>Fabric 490 g/m</b> Tessuto 490 g/m	0,17	1,24	NO	0	0
<b>Cardboard</b> cartone	0,032	0,24	YES	0	100
<b>TOTAL</b> TOTALE	<b>13,28 Kg</b>	--	--	<b>70,2 %</b>	<b>90 %</b>

• **COMPANY CERTIFICATIONS** - CERTIFICAZIONI AZIENDALI - UNTERNEHMENSZERTIFIZIERUNGEN -  
CERTIFICATIONS D'ENTREPRISE - CERTIFICACIONES DE LA EMPRESA

**ISO 14001**  
Enviromental management system  
Sistema di gestione ambientale



**ISO 9001**  
Quality management system  
Sistema di gestione della qualità

